General index to Volume 144

ABDEL-RAHMAN, ABDEL-FATTAH M. & DOIG, R., the Rb-Sr geochronological evolution of the Ras Gharib segment of the northern Nubian Shield, 577–86, figs

Aberdeen Granite, Scotland, isotopic and structural age of, 717–21

accretionary complex, S Belt, S Uplands, development of, 827–38

accretionary forearcs, modern, processes in, 737–8

accretionary prism, of Southern Uplands, Scotland, analogues important in reconstructing, 737–52

accretionary prisms, Neogene–Recent, reviewed, 738–40

Aegean trough, North, subsidence in, 349–51

African Rift System, migration of volcanism in, 224

AFTALION, M. & MAX, M. D., U-Pb zircon geochronology from the Precambrian Annagh Division genisses and the Termon Granite, NW County Mayo, Ireland, 401–6, figs

AFTALION, M., *see* HALLIDAY, A. N.

——, *see* KNELLER, B. C.

Aïstopoda, tetrapods, 499

Alcoy–Concentaina area, SE Spain, Neogene basin evolution of, 921–6

alkaline complexes, NW Scotland, and Moine Thrust, 614–7

ALLEN, P. M., COOPER, D. C. & FORTEY, N. J., composite lava flows of Ordovician age in the English Lake District, 945–60, figs

Alorines Formation, Neogene, SE Spain, 929–31

Alpine Fault, and age, origin, New Zealand Orocline, 641, maps 642–4; 645–52

Alpine Schist, of New Zealand, 647–9

Alps, W, high-pressure metamorphism, tectonic implications of, 653–9

——, Eoalpine high-pressure metamorphism in, 521

ammonium, in granites, determination of, 671

ammonium content, of Caledonian granites, 671–4

ammonoids, origin of, 9–11

Amniota (Reptilia), 499–500

amphibolite facies, C Massachusetts, ferric iron in calcic hornblendes of, 522

ANDERSON, T. B., the onset and timing of Caledonian sinistral shear in County Down, 817–25, figs

—, *see* BARNES, R. P.

Andes, Chile, geology, Ojos del Salado volcanic region of, 85–90, maps 86–89

—, Eastern Cordillera, Bolivia, Eocene tectono-thermal domain in, 243, maps 244–5; 246–55

—, of W Colombia, regional geology, 893

ANDREWS, J. E., HAMILTON, P. J. & FALLICK, A. E., the geochemistry of early diagenetic dolostones from a low-salinity Jurassic lagoon, 687–98, figs

Anglesey, N Wales, age of blueschist metamorphism in, 843–52

——, ——, blueschists of, geology, petrology, 843–6

Annagh Division gneisses, Mayo, Ireland, U-Pb zircon geochronology, 401, map 402–6

Anthracosauria, tetrapods, 499

anthropogenic compounds, and clay minerals, transport into German Bight, 153–60

aphyric rocks, nomenclature of, Cape Verde Islands, 233–4

Aquaba, Gulf of, strike-slip setting and deformation chronology, Holocene, 557–9

^{40}Ar-^{39}Ar, mineral dates, of Penmynydd schists, and age of blueschist metamorphism, Anglesey, 843–52

——, step heating, and delineation of Eocene tectono-thermal domain, Andes, 243–55

Arabian–Nubian Shield, Feiran basement rocks of, Sinai, 569, maps 570–1; 572–5

Archaean, late, tectonics, of southern W Greenland, 369, maps 370–1; 372–6

ARCHIBALD, D. A., *see* MCBRIDE, S. L. arcs, recurved, used in deformational model of New Zealand, 644–7

Arctic Basin, peralkaline volcanicity in Kap Washington volcanics, N Greenland, 707–15

Ards Peninsula, N Ireland, L Palaeozoic geology of, 808–9

arthropods, cuticle preservation in coal, 514–5

ARTHUR, M. J., On a tectonic model for the emplacement of the Main Donegal granite, NW Ireland [discussion of: Hutton], 201–3, fig.

ASIF KHAN, M., *see* COWARD, M. P.

ASPDEN, J. A., MCCOURT, W. J. & BROOK, M., geometrical control of subduction-related magmatism: the Mesozoic and Cenozoic plutonic history of Western Columbia, 893–905, figs

Assynt, Scotland, Moine Thrust and alkaline magmatism in, 612–7

ATKINSON, C. D., *see* FARRELL, S. G.

Atlantic, N, plate tectonic evolution of, relation to margin of E Greenland, 561–8

AVOINE, J., sediment exchanges between the Sein estuary and its adjacent shelf, 135–48, figs

back-arc, and foreland basin, of S Uplands, Scotland, thrust-duplex model for, 753–64

back-arc deposition, S Uplands, 758–9

back-arc origin, of S Uplands Northern Belt, 773–86

back-arc thrusting, S Uplands, 759–60

back-thrust systems, 628–31

BAILEY, A., *see* KOSTERS, E. C.

BAKER, A. J., fluids and metacarbonates in the Ivrea Zone, Italy [*abs*], 520

BAKER, P. E., GLEDHILL, A., HARVEY, P. K. & HAWKESWORTH, C. J., geochemical evolution of the Juan Fernandez Islands, SE Pacific, 933–44, figs

——, GONZALEZ-FERRAN, O. & REX, D. C., geology and geochemistry of the Ojos del Salado volcanic region, Chile, 85–96, figs

—— & HARKNESS, D. D., on differences in radiocarbon ages reported from St Kitts, West Indies [reply to discussion], 205–6

Bale, SE Ethiopia, Tertiary volcanics of, 215–6

Ballantrae ophiolite complex, 743–4

BAMFORD, M. L. F., on structural evolution of the Irish Variscides [discussion of: COOPER *et al.*], 997–8, fig.

bar-front accretion, role of matrix-infilling and particle-overpassing in, 543–51

Barataria basin, Mississippi delta, physiography, basin fill, stratigraphy, 426–33

BARNES, R. P., ANDERSON, T. B. & MCCURRY, J. A., along-strike variation in the stratigraphical and structural profile of the Southern Uplands Central Belt in Galloway and Down, 807–16, figs

——, *see* STONE, P.

BARNICOAT, A. C. & FRY, N., Eoalpine high-pressure metamorphism in the Western Alps [*abs*], 521

——, *see* CARTWRIGHT, I.
——, *see* FRY, N.
Barranco del Sing Formation, Neogene, SE Spain, 924–5
BARTRAM, K. M., JERAM, A. J. & SELDEN, P. A., arthropod cuticles in coal, 513–17, fig
baryte, strontium and sulphur in, 97
——, vein deposits, Central Europe, geochemical constraints on formation of, 97–105
basalts, flood, Cenozoic, Ethiopia, 220–1
——, picrite, Karoo, restite fragments in, and mantle segregation, deformation, 275–80
basin development, S Uplands, 758–62
basin evolution, of Bowland Basin, N England, 66–8
—— ——, Neogene, SE Spain, 915–32
Bavarian Basement, of C Europe, 97, maps 98–9
BECKER, S. M., *see* BROWN, P. E.
BEHRMANN, J. H., flow partitioning and fabric evolution [*abs*], 676
BELL, C. M., the origin of the Upper Palaeozoic Chañaral mélange of N Chile, 599–610, figs
BERHE, S. M., DESTA, B., NICOLETTI, M. & TEFERRA, M., geology, geochronology and geodynamic implications of the Cenozoic magmatic province in W and SE Ethiopia, 213–26, figs
Big Brown Mine, E Texas, tidal lignites of, 467–8
binary mixtures, sand, gravel, deposition of in bar-front accretion, 543–51
biogenic indicators, of suspended sediment transport, marginal marine environments, SW Britain, 127–33
biology and sedimentology of coal and coal-bearing strata [thematic set] and:
arthropod cuticles in coal 513–7
coal deposition in carbonate-rich lacustrine systems, NE Spain, 451–61
introduction: Coal and coal-bearing strata, 421–2
occurrence and diversity of Coal Measure insects, 507–11
palaeochannels in mine workings, Nottinghamshire, England, 471–88
sedimentary and botanical factors influencing peat accumulation, Mississippi Delta, 423–34
stages in peat compaction, Stephanian, Permian, C France, 489–93
sulphur, ash, minor elements in peak, Fraser Delta, British Columbia, 435–50
tidal origin, for coarsening-upward sequences above lignites, Texas, 463–9
Westphalian tetrapod fauna, geography, ecology, 495–506
Blacksod Granite, Ireland, *see* Termon Granite
Blackstairs Unit, of Leinster Granite, geochemistry of, 971–84
Blanzy–Montceau Basin, C France, peat compaction in, 491
BLENKINSOP, T. G. & CRONSHAW, D., correlation of illite crystallinity indices and definition of low grade metamorphic zones [*abs*], 521
——, LONG, R. E., KUSZNIR, N. J. & SMITH, M. J., on seismicity and tectonics in Wales [reply to discussion], 839–40 fig
Blossville Kyst margin, E. Greenland, N Atlantic, formation of, 566–7
blueschist metamorphism, Anglesey, age of, 843–52
Bolivian Andes, Eocene tectono-thermal domain delimited, 243–55
BONATTI, E., *see* CRANE, K.
BOTT, M. H. P., the continental margin of central East Greenland in relation to North Atlantic plate tectonic evolution, 561–8, figs
—— & TANTRIGODA, D. A., interpretation of the gravity and magnetic anomalies over the Mull Tertiary intrusive complex, NW Scotland, 17–28, figs
BOTTRELL, S. H. & YARDLEY, B. W. D., the chemical composition of aqueous metamorphic fluids [*abs*], 520
——, *see* YARDLEY, B. W. D.
BOUCHEZ, J.-L., *see* MAINPRICE, D. H.
Bowland Basin, N England, tectono-sedimentary evolution of, in Dinantian, 59, map 60; 61–71
——, regional geology, structure, sedimentology, stratigraphy, 59–64
breaching, and thrust geometries, 624–6
break-back thrust sequences, 626–8
BREARLEY, A. J., *see* RUBIE, D. C.
BREYER, J. A., a tidal origin for coarsening-upward sequences above two Wilcox lignites in East Texas, 463–9, figs
Britain, SW, biogenic indicators of suspended sediment transport, 127–33
British Columbia, Fraser Delta of, sulphur, ash, minor elements in peat of, 435, map 436; 437–50
British Geological Survey, contribution to exploration of continental shelf, 207–12
BRODIE, K., Metamorphic studies: research in progress [conference report], 519–22
BROOK, M. *see* ASPDEN, J. A.
BROOKS, M. & KIRIAKIDIS, L., on the subsidence of the North Aegean trough: an alternative view [reply to discussion], 349–51
BROWN, G. C., *see* LEE, M. K.
BROWN, P. E., PARSONS, I. & BECKER, S. M., peralkaline volcanicity in the Arctic Basin—the Kap Washington Volcanics, petrology and palaeotectonics, 707–15, figs
Buksefjorden, W Greenland, late Archaean tectonics south of, 369–76
BURTON, K. W., metamorphic sector-zoning in a low-fO_2 graphite-buffered environment [*abs*], 520
BUSTIN, R. M. & LOWE, L. E., sulphur, low temperature ash and minor elements in humid-temperature peat of the Fraser River Delta, British Columbia, 435–50, figs
BUTLER, R. W. H., thrust sequences, 619–34
——, *see* Coward, M. P.
Butterton Dyke, magnetic mapping of, 29, maps 30, 31; 32–3

^{14}C deformation chronologies, Iran, Greece, Jordan, 553–60
CABRERA, LL. & SAEZ, A., coal deposition in carbonate-rich shallow lacustrine systems: the Calaf and Mequinenza sequences (Oligocene, eastern Ebro basin, NE Spain), 451–61, figs
Calaf Coal Basin, NE Spain, palaeoenvironment, sedimentary framework, 452–6
Caledonian granites, ammonium content of, 671–4
Caledonian sinistral shear, onset, timing, in Down, N Ireland, 817–25
Caledonides, paratectonic, transecting cleavage in, 817–21
——, Scottish, shoshonites in, tectonic implications, 699–706
CAMERON, T. D. J., STOKER, M. S. & LONG, D., the history of Quarternary sedimentation in the UK sector of the North Sea Basin, 43–58, figs
CAMPBELL, S. D. G., *see* HOWELLS, M. F.
Cape Verde Republic, Maio, alkaline lamprophyre sheet intrusion complex on, 227–41
Carboniferous, Crackington Formation, Cornwall, mineral-filled fractures in, 79–83
CARLING, P. A. & GLAISTER, M. S., rapid deposition of sand and gravel mixtures downstream of a negative step: the role of matrix-infilling and particle-overpassing in the process of bar-front accretion, 543–51, figs
CARSWELL, D. A., metamorphic evolution of Norwegian garnet peridotites [*abs*], 521
CARTWRIGHT, I. & BARNICOAT, A. C., the importance of vapour-absent reactions in the evolution of crustal rocks [*abs*], 520–1

CASEY, M., *see* LAW, R. D.
CATER, J. M. L., sedimentary evidence of the Neogene evolution of SE Spain, 915–32, figs
Cenozoic, Ethiopian magmatic province of, 213–26
Central Belt, of S Uplands, in Galloway, Down, along-strike variations, 807, maps 808–11; 812–6
cephalopods, Cambrian, success, 1–4
——, classification of, 12–13
——, nautiloids, strange success, 1–15
——, origin of, 1
Chañaral mélange, U Palaeozoic, Chile, origin, 599, map 600; 601–10
CHARM II, deep reflection profile, C England microcraton, 661–70
Charnwood Forest, C England, seismic reflection profile of, (CHARM II), 661–70
chemical layering, and convective layering in Earth, relationships between, 259–74
Chichali formation (Oxfordian to Valanginian), of Pakistan, iron ores of, 107–14
Chile, Ojos del Salado volcanic region, geology, geochemistry, 85–96
——, N, Upper Palaeozoic Chañaral mélange of, origin, 599–610
CHMURA, G. L., *see* KOSTERS, E. C.
Chucura pluton, Bolivia, ^{40}Ar-^{39}Ar age spectra, 249–50
Clariano Formation, Neogene, SE Spain, 926–7
CLARK, A. H., *see* MCBRIDE, S. L.
clay minerals, and anthropogenic compounds, transport into German Bight, 153–60
——, in surface sediments, German Bight, 155–5
cleavage, transecting, in paratectonic Caledonides, 817–21
coal, arthropod cuticles in, 513–7
——, and coal-bearing strata, problems, perspectives, 421–2
coal arthropods, records of, 516
coal deposition, in carbonate-rich lacustrine systems, Oligocene, NE Spain, 451–61
Coal Measures, insects of, occurrence, diversity 507–11
coarsening-upward sequence, in Eocene sands, Texas, 465
——, above lignites, E Texas, tidal origin, 463–9
coastal margins, sediment exchanges across, NW Europe, 121–6
coastal margins as sediment traps [thematic set] and:
  biogenic indicators of suspended sediment transport, marginal marine examples, SW Britain, 127–33 dispersal, concentration, deposition, suspended matter, N Sea, 161–78
  fine sediment sources, sinks, E Anglian coast UK, 149–52
  sediment exchanges, Seine estuary and adjacent shelf, 135–48
  introduction, sediment exchanges across coastal margins, NW Europe, 121–6
  sediment exchanges, coastal margin, Moray Firth, E Scotland, 179–85
  short and long term changes, estuary capacity, 187–95
  transport of clay minerals, anthropogenic compounds, into German Bight, 153–60
COBBING, E. J., MALLICK, D. I. J., PITFIELD, P. E. & TEOH, L. H., on the granites of the southeast Asian tin belt [reply to discussion], 841–2
COBBOLD, P. R., *see* GAPAIS, D.
coevolution, insects, plants, Coal Measures, 510
COKE (Major Edward D'Ewes Fitzgerald) MEDAL presented to K. W. GLENNIE, 363–4
COKE (Major John Sachaverell A'Deane) MEDAL presented to G. EGLINTON, 362–3
coleoids, origin of, 11–12
Colgorrubio Formation, Neogene, SE Spain, 927–9
Colombia, W, plutonism in, 895, maps 896–7; 898
——, ——, subduction-related magmatism, geometrical control of Mesozoic and Cenozoic, 893–905
colosteoidea, tetrapods, 498
comendites, of Kap Washington Volcanics, Greenland, 709–12
compaction, of igneous and sedimentary rocks, 299–307
conglomerates, deformed, relation of tectonic strain and pebble shape fabrics in, 635–9
continental shelf, contribution of British Geological Survey to exploration of, 207–8, maps 209, 211; 212
CONWAY, A., DENTITH, M. C., DOODY, J. J. & HALL, J., preliminary interpretation of upper crustal structure across the Midland Valley of Scotland from two East–West seismic refraction profiles, 865–70, figs
COOPER, D. C., *see* ALLEN, P. M.
COOPER, M. A., *et al.*, on structural evolution of the Irish Variscides [reply to discussion], 997–8, fig.
Corinth, Gulf of, Greece, extensional margin and deformation chronology, Holocene, 556–7
Cornwall, north, data on three-dimensional morphology of mineral-filled fractures, 79–83
——, S, tectonic environment of Devonian Gramscatho basin, 531–42
Corsewall Group, of S Uplands, sand-bodies in, 789–92
Corsewall Point, S Scotland, granite clasts in conglomerates dated, 854–5
Cotiella thrust system, Pyrenees, 910–12
COUREL, L., stages in the compaction of peat; examples from the Stephanian and Permian of the Massif Central, France, 489–93, figs
COWARD, M. P., BUTLER, R. W. H., ASIF, KHAN, M. & KNIPE, R. J., the tectonic history of Kohistan and its implications for Himalayan structure, 377–91, figs
——, *see* ENFIELD, M. A.
COX, K. G., postulated restite fragments from Karoo picrite basalts: their bearing on magma segregation and mantle deformation, 275–80, figs
Crackington Formation, Cornwall, echelon, sigmoidal fractures in cobbles from, 79–81
CRANE, K. & BONATTI, E., the role of fracture zones during early Red Sea rifting: structural analysis using Space Shuttle radar and LANDSAT imagery, 407–20, figs
Cretaceous, N Greenland, Kap Washington volcanics of, 707–15
CRONSHAW, D., *see*, BLENKINSOP, T. G.
crust, and mantle, two-phase flow in [introduction to thematic set], 257–8
crustal rocks, vapour-absent reactions in evolution of, 520
crustal shortening, Irish Variscides, 889–90
crustal structure, upper, Midland Valley, Scotland, from seismic refraction, 865–70
crystallographic fabrics, and deformation histories, 675–8

DAGLEY, P., MUSSETT, A. E. & SKELHORN, R. R., polarity, stratigraphy and duration of the Tertiary igneous activity of Mull, Scotland, 985–96, figs
DALLMEYER, R. D. & GIBBONS, W., the age of blueschist metamorphism in Anglesey, North Wales: evidence from $^{40}Ar/^{39}Ar$ mineral dates of the Penmynydd schists, 843–52, figs
Dalradian pelites, Connemara, geochemistry of, 679–80
DAVIES, P., *see* KELLING, G.
deformation, related to depth of burial, 828–36
deformation chronologies, ^{14}C, in Iran, Greece, Jordan, 553–60
delta fans, river estuaries, tetrapod fossils in, U Carboniferous, 497–8
Denmark Strait margin, and E Greenland volcanism, 564–6
Denmark Strait shelf, Iceland–Faeroe Ridge and evolution of N Atlantic margins, 566
DENTITH, M. C., *see* CONWAY, A.
DERVIN, P., *see* MAINPRICE, D. H.
DESTA, B., *see* BERHE, S. M.

Devonian, Gramscatho basin of, Cornwall, tectonic environment of, 531–42
diagenetic, early, dolostones, geochemistry of, 687–98
DICKIN, A. P., *see* HALLIDAY, A.N.
DILL, H. & NIELSEN, H., geochemical and geological constraints on the formation of unconformity-related vein baryte deposits of Central Europe, 97–105, figs
Dinantian, tectono-sedimentary evolution of Bowland Basin in, 59–71
distributary channels, Nottinghamshire Coalfield, 474–82
diversity-area effect, and sea-level changes, 119
DOIG, R., *see* ABDEL-RAHMAN, ABDEL-FATTAH M.
dolomite formation, model for, 696
dolostones, geochemistry of, from low-salinity Jurassic lagoon, 687–98
doming, crustal, and volcanism, Ethiopia, 223–4
DOODY, J. J., *see* CONWAY, A.
DOWN, N. Ireland, onset, timing of Caledonian sinistral shear in, 817–25
DRURY, M. R., effect of impurities on microstructures and fabrics in quartz [*abs*], 676
dyke swarm, in Kap Washington Volcanics, Greenland, 714

East Anglian Coast, (UK), fine sediment sources and sinks around, 149–52
Eastern Arabian margin, of Red Sea, 413–14
Eastern Layered Series, of Rhum, Scotland, geology of, 961–2
Ebro Basin, NE Spain, Oligocene coal deposition in carbonate-rich lacustrine systems, 451–61
——, ——, regional geology, tectonics of, 451–2
EISMA, D. & KALF, J., dispersal, concentration and deposition of suspended matter in the North Sea, 161–78, figs
EJIOFOR, I. B., *see* NICHOLOSON, R.
ELDERS, C. F., the provenance of granite boulders in conglomerates of the Northern and Central Belts of the Southern Uplands, Scotland, 853–63, figs
EMMETT, T. F., a preliminary survey of corona development in high grade orthogneisses from the Jotun Nappe, Norway [*abs*], 522
emplacement, of granitic magmas, 281–97
Ems, Weser, Elbe rivers, sediment types, 154–5
ENFIELD, M. A. & COWARD, M. P., the structure of the West Orkney Basin, northern Scotland, 871–84, figs
England, N, tectono-sedimentary evolution of Bowland Basin in Dinantion of, 59–71
——, C, microcraton of, CHARM II deep reflection profile in, 661–70
ENGLAND, W. A., MACKENZIE, A. S., MANN, D. M. & QUIGLEY, T. M., the movement and entrapment of petroleum fluids in the subsurface, 327–47, figs
English Channel, sediment load in water column, 128–9
Eocene, tectono-thermal event in Bolivian Andes, 243–55
estuary capacity, short and long term changes in, 187–95
Ethiopia, W and SE, Cenozoic magmatic province of, 213, maps, 214–6; 217–26
Ethiopian volcanic successions, age, correlation, 217–21
Exe Estuary, SW England, sediment transport into, from English Channel, 131
exploration, for industrial and ore minerals, 197–8

fabric, grain shape, computer simulation of, in recrystallized aggregate, 677
fabric analysis, using SEM electron channelling, 678
fabric development, kinematic controls on, 677
fabric evolution, and flow partitioning, 676
fabric types, slip systems in, related to temperature, 677
fabrics, crystallographic, and deformation histories, 675–8
——, in quartz, effect of impurities on, 676
Færingehavn terrane, W Greenland, 372–3
Færingehavn–Tre Brødre area, W Greenland, Archaean tectonics of, 369–76
FALLICK, A. E., *see* ANDREWS, J. E.
FARRAR, E., *see* MCBRIDE, S. L.
FARRELL, S. G., WILLIAMS, G. D. & ATKINSON, C. D., constraints on the age of movement of the Montsech and Cotiella Thrusts, south central Pyrenees, Spain, 907–14, figs
faults, application of methods of offset on, 76–7
Feiran basement rocks, Sinai, role in Precambrian evolution, Arabian-Nubian Shield, 569–75
FERGUSON, C. C. & AL-AMEEN, S. I., on geochemistry of Dalradian pelites from Connemara, Ireland: new constraints on kyanite genesis and conditions of metamorphism [reply to discussion], 679–80
Finestrat basin, SE Spain, Neogene basin evolution of, 915, map 916; 917–21
Finland, metamorphism of Precambrian iron formations, 521–2
——, SW, orthopyriboles from Orijarvi, 522
FITCHES, W. R. & WOODCOCK, N. H., sedimentation and tectonics in the Welsh Basin [conference report], 199–200
flaser bedding, in tidal sands, Eocene, Texas, 463
Float Bay, and Kilfillan Formations, S Uplands, sand-bodies in, 796
FLOYD, J. D., see STONE, P.
FLOYD, P. A. & LEVERIDGE, B. E., tectonic environment of the Devonian Granscatho basin, south Cornwall: framework mode and geochemical evidence from turbiditic sandstones, 531–42, figs
fluid flow, and mineral reactions, at high temperatures, pressures, 313–26
fluid immiscibility, and flow, implications for reaction progress, 520
fluid motion, during metamorphism, 309–12
fluid pressure, stabilities, solubilities of minerals as function of, 316–9
fluids, and metacarbonates, Ivrea Zone, Italy, 520
——, petroleum, subsurface, movement, entrapment of, 327–47
Fontanars–Onteniente area, SE Spain, Neogene basin evolution of, 926–31
foraminifera, used as indicators of sediment transport, 127–8
FORD, M., practical application of the sequential balancing technique: an example from the Irish Variscides, 885–91, figs
foreland basin, S Uplands, 760–2
FORTEY, N. J., *see* ALLEN, P. M.
fractional cyrstallization, of lamprophyres, 236–40
Fracture Zone, Brothers–Dead Sea, 416
——, Zabargad, 416
——, Shagara, 416
fracture zones, Red Sea, early rifting role of, using LANDSAT, Space Shuttle imagery, 407–20
fractures, echelon, sigmoidal, three-dimensional morphology of, N Cornwall, 79–83
France, Massif Central, compaction stages in Stephanian, Permian peat, 489–93
Fraser River Delta, British Columbia, sulphur, ash, minor elements in peat of, 435–50
FREEMAN, B. & LISLE, R. J., the relationship between tectonic strain and the three-dimensional shape fabrics of pebbles in deformed conglomerates, 635–9, figs
FRIEND, C. R. L., NUTMAN, A. P. & MCGREGOR, V. R., late Archaean tectonics in the Færingehavn–Tre Brødre area, south of Buksefjorden, southern West Greenland, 369–76, figs
FRY, N. & BARNICOAT, A. C., the tectonic implications of high-pressure metamorphism in the western Alps, 635–9, figs
FRY, N., *see* BARNICOAT, A. C.
FURNES, H. & STILLMAN, C. J., the geochemistry and petrology of an alkaline lamprophyre sheet intrusion complex on Maio, Cape Verde Republic, 227–41, figs

Galloway, and Down, along-strike variations in C Belt of S Uplands of, 807–16
GAPAIS, D. & COBBOLD, P. R., Kinematic controls on fabric development [*abs*], 677
Garheugh-A Formation, S Uplands, sand-bodies in, 797–9
Garheugh-B Formation, S Uplands, sand-bodies in, 799
GAWTHORPE, R. L., tectono-sedimentary evolution of the Bowland Basin, N England, during the Dinantian, 59–71, figs
GEHOR, S., metamorphism of the Precambrian iron formations in Finland [*abs*], 521–2
geochemical evidence, for tectonic framework of Gramscatho basin, S Cornwall, 531–42
geochemical evolution, Juan Fernandez Islands, SE Pacific, 933–44
geochemical and geological constraints, baryte vein formation, Central Europe, 97–105
geochemistry, of alkaline lamprophyre intrusion complex, Maio, Cape Verde Islands, 227–41
——, of basalts, Juan Fernandez Islands, 937–42
——, of Blackstains Unit, Leinster Granite, Ireland 971–84
——, of comendites, rhyolites, N Greenland, 709–12
——, of composite lavas, Lake District, 953–7
——, of Dalradian pelites, Connemara, Ireland, 679–80
——, of early diagenetic dolostones, in low-salinity Jurassic lagoon, 687–98
——, of lamprophyres, Cape Verde Islands, 234–5
——, of Ojos del Salado volcanic region, Chile, 85–96
——, of sandstones, Devonian, Cornwall, 536–40
——, of shoshonites, Scottish Caledonides, 701–4
geochronology, geology, of Cenozoic magmatic province, W and SE Ethiopia, 213–26
——, Rb-Sr, of Ras Gharib, N Nubian Shield, 577, map 578; 579–86
——, U-Pb zircon, Annagh gneisses, Mayo, Ireland, 401–6
geophysical surveying, Butterton Dyke magnetic mapping as example of, 29–33
German Bight, deposition in, 171–2
——, North Sea, transport of clay minerals and anthropogenic compounds into, 153–60
GIBBONS, W., *see* DALLMEYER, R. D.
gigantism, in cephalopods, 5–7
glaciation, late Ordovician, 393
GLAISTER, M. S., *see* CARLING, P. A.
GLEDHILL, A., *see* BAKER, P. E.
Glen Afton, S Scotland, granite clasts in conglomerates dated, 855–7
gneiss, mantled, antiforms, in Rinkian belt, W Greenland, 723–34
——, trondhjemitic, Mayo, Ireland, zircon geochronology of, 402–5
goniometry, neutron texture, applied to deformed rocks, 678
GONZALEZ-FERRAN, O., *see* BAKER, P. E.
Graiguenamanagh Granite, Leinster, Ireland, 971–2
Gramscatho basin, Devonian, S Cornwall, tectonic environment from turbiditic sandstones, 531–4, map 535; 536–42
Gramscatho Group, Devonian, S Cornwall, described, 532
granite, Aberdeen, Scotland, isotopic and structural age of, 717–21
granite batholiths, Scotland, SW England, N England, C England, Wales, heat flow, 38–41
granite boulders, in conglomerates, S Uplands, provenance of, 853–63
granite magmas, formation and evolution of, Leinster, Ireland, 979–83
granites, Caledonian, ammonium content of, 671–4
granitic magmas, segregation, emplacement, 281–97
GRANT, S. M., metagabbros in Western Grenville Province [*abs*], 522
granulite facies rocks, retrogression, deformation, W Greenland, 374
gravel lenses, openwork, formation of, 547–8
gravel overpassing, Allen's model applied, 549–50
gravity, and magnetic anomalies, over Tertiary intrusive complex, Mull, Scotland, 17–28
gravity spreading, Himalayas, Kohistan, 387–8
Greece, ^{14}C deformation chronologies, in 553–60
Greenland, E, continental margin of, relation to N Atlantic plate tectonic evolution, 561, maps 562–4; 565–8
——, Kap Washington Volcanics of, 707–15
——, W, late Archaean tectonics of, 369–76
——, ——, mantled gneiss antiforms in Rinkian belt of, 723, maps 724, 726; 727–34
Grennan Point Formation, S Uplands, sand-bodies in, 799
Grenville Province, W, metagabbros in, 522
greywacke provenance, S Uplands, 753–6
GRIFFIN, W. L., high-pressure metamorphism in Western Norway [*abs*], 521
GROCOTT, J., VAN DEN EECKHOUT, B. & VISSERS, R. L. M., mantled gneiss antiforms and fold nappes in the Rinkian belt, West Greenland: diapiric structures or structures formed in a thrust system?, 723–34, figs
GUION, P. D., Palaeochannels in mine workings in the High Hazles Coal (Westphalian B), Nottinghamshire Coalfield, England, 471–88, figs

HALL, A., the ammonium content of Caledonian granites, 671–4, figs
HALL, J., *see* CONWAY, A.
HALLAM, A. & MAYNARD, J. B., the iron ores and associated sediments of the Chichali formation (Oxfordian to Valanginian) of the Trans-Indus Salt Range, Pakistan, 107–14, figs
HALLIDAY, A. N., AFTALION, M., PARSONS, I., DICKIN, A. P., & JOHNSON, M. R. W., syn-orogenic alkaline magmatism and its relationship to the Moine Thrust Zone and the thermal state of the Lithosphere in NW Scotland, 611–17
HAMILTON, P. J., *see* ANDREWS, J. E.
HARVEY, P. K., *see* BAKER, P. E.
HAWKESWORTH, C. J., *see* BAKER, P. E.
heat flow, production and thermo-tectonic setting of, mainland UK, 35, map 36; 37–42
heat flow, and heat production, relationship between, 36–7
HELGESON, H. C. & LICHTNER, P. C., fluid flow and mineral reactions at high temperatures and pressures, 313–26, figs
Helgoland, North Sea, transport of clay minerals into German Bight near, 153–60
High Hazles Coal, palaeochannels in, Nottinghamshire, England, 471–88
Himalaya, W, tectonic framework, 378–83
Himalayan structure, implications of tectonic history of Kohistan in 377–91
Hirnantian, Scrach Formation of, age, geometry, facies, 393–7
HOLDER, M. T. & LEVERIDGE, B. E., on the correlation of the Rhenohercynian Variscides [reply to discussion], 353–4
HOLLAND, C. H., the nautiloid cephalopods: a strange success [President's anniversary address], 1–15, figs
HOLROYD, J., *see* KELLING, G.
hot spot volcanoes, Juan Fernandez Islands, geochemistry of, 933–44
HOWELLS, M. F., REEDMAN, A. J. & CAMPBELL, S. D. G., on the submarine eruption and emplacement of the Lower Rhyolitic Tuff Formation (Ordovician), North Wales [reply to discussion], 523–5, figs
Humber Estuary, UK, capacity changes in, 193–4
HUTTON, D. H. W., on a tectonic model for the emplacement of the Main Donegal Granite, NW Ireland [reply to discussion], 201–3
—— & MURPHY, F. C., the Silurian of the Southern Uplands and

Ireland as a successor basin to the end-Ordovician closure of Iapetus, 765–72, figs
hydrocarbon assessment, by British Geological Survey, 208
hypsometric methods, past applications, 115

Iapetus, late Ordovician closure, 749
——, of S Uplands and Ireland, end-Ordovician closure and Silurian successor basin of, 765–72
igneous, and sedimentary, rocks, compaction of, 299–307
Illampu massif, Bolivia, K-Ar ages, 247
illite crystallinity indices, correlation with low grade metamorphic zones, 521
Ilubabor and Welega, W Ethiopia, Tertiary volcanics of, 215
inclusions, ellipsoidal, deformable, behaviour under tectonic strain, 635–9
Indian plate, crustal shortening and thrust geometries, 383–6
insects, Coal Measures, occurrence, diversity, 507–11
interlobe basins, Mississippi delta, 425
Iran, coastal, ^{14}C deformation chronologies in, 553–60
Ireland, Leinster Granite of, geochemistry of, 971–84
——, Longford-Down Inlier, and S Uplands, Scotland, as Ordovician back-arc basin, 773, Map 774; 775–86
——, U-Pb zircon geochronology of Annagh gneisses of Mayo, 401–6
——, Variscides of, sequential balancing technique applied to, 885, map 886; 887–91
IRION, G., WUNDERLICH, F. & SCHWEDHELM, E., transport of clay minerals and anthropogenic compounds in the the German Bight and the provenance of fine-grained sediments SE of Helgoland, 153–60, figs
Irish Sea, and North Sea, sediment input, 121–5
Irish Variscan fold belt, 885–6
iron ores, of Chichali formation (Oxfordian to Valanginian), Pakistan 107–14
ironstones, pelletal glauconites, origin of, Salt Range, Pakistan, 133–4
isotope chemistry, of baryte, Bavarian Basement, 100–3
isotopes, carbon, strontium, in Jurassic dolostones, W Scotland, 693–5
isotopic, and structural, age of Aberdeen Granite, Scotland, 717–21
isotopic data, for basalts, Juan Fernandez islands, 940–2
Ivrea Zone, Italy, fluids and metacarbonates of, 520

JARZEMBOWSKI, E. A., the occurrence and diversity of Coal Measure insects, 507–11, figs
JERAM, A. J., *see* BARTRAM, K. M.
JESSELL, M. W., a computer simulation of grain shape fabric and c.p.o. development in a recrystallized aggregate [*abs*], 677
JOHNSON, M. R. W., *see* HALLIDAY, A. N.
Jordan, ^{14}C deformation chronologies in, 553–60
Juan Fernandez Islands, SE Pacific, geochemical evolution of, 933, map 934; 935–44
Jurassic, geochemistry of dolostones in low-salinity lagoon, 687–98
——, Upper, and Lower Cretaceous, iron ores, Salt Range, Pakistan, 107–14

K-Ar dating, Cenozoic volcanics, Ethiopia, 216–7
——, activity phases, Ojos del Salado volcanoes, Chilean Andes, 87–90
——, and Eocene tectono-thermal domain, Bolivian Andes, 243–55
K-Ar mineral ages, Bolivia, 245–9
KALF, J., *see* EISMA, D.
KAMP, P. J. J., age and origin of the New Zealand Orocline in relation to Alpine Fault movement, 641–52, figs
Kap Washington Volcanics, peralkaline volcanicity, Greenland, 707, maps 708; 709–15
Karoo, picrite basalts, restite fragments in, 275–80
Karrat Group, of Proterozoic, E Greenland, 725–8
KELLING, G., DAVIES, P. & HOLROYD, J., style, scale and significance of sand bodies in the Northern and Central Belts, southwest Southern Uplands, 787–805, figs
KEMP, A. E. S., tectonic development of the Southern Belt of the Southern Uplands accretionary complex, 827–38, figs
KHOO T. T., on the granites of the southeast Asian tin belt [discussion of: COBBING, MALLICK, PITFIELD & TEOH], 841–2
Kilmaluag Formation, of Jurassic, NW Scotland, 687–8
Kilmelford, W Scotland, shoshonites in Caledonides of, tectonic implications, 699–706
KIRBY, R., sediment exchanges across the coastal margins of NW Europe [introduction to thematic set], 121–6, figs
Kirkholm, and Galdenoch Groups, S Uplands, sand-bodies in, 792–6
KNELLER, B. C. & AFTALION, M., the isotopic and structural age of the Aberdeen Granite, 717–21, figs
KNIPE, R. J., *see* COWARD, M. P.
Kohistan, tectonic history of, and implications for Himalayan structure, 377, Arc Complex, map 378; 379–81
KOSTERS, E. C., CHMURA, G. L. & BAILEY, A., sedimentary and botanical factors influencing peat accumulation in the Mississippi Delta, 423–34, figs

La Umbria Formation, Neogene, SE Spain, 931
Lacustrine delta complex, Nottinghamshire Coalfield, 472–4
Lake District, English, Ordovician composite lavas of, 945–60
lakes, shallow, coal in, NE Spain, 459–60
lamprophyre intrusion complex, geochemistry, petrology of, mineralogy of, Maio, Cape Verde islands, 227–41
Landsat Thematic Mapper, imagery used to discriminate rock units, Oman ophiolite, 587–97
Las Tortolas Formation, of N Chile, 599–601
lavas, composite, of Ordovician, English Lake District, 945–60
LAW, R. D., crystallographic fabrics and deformation history [conference report], 675–8
——, SCHMID, S. M. & CASEY, M., relationships between strain symmetry and crystallographic preferred orientations in quartz mylonites: an ODF study [*abs*], 677–8
layering, convective and chemical, in Earth relationships between, 259–74
LE BAS, M. J., editorial, Supplementary Publications scheme, 367–8, figs
LE PICHON, X., LYBERIS, N. & ALVAREZ, F., on the subsidence of the North Aegean trough: an alternative view [discussion of: BROOKS & KIRIAKIDIS], 349–51, fig.
LEE, M. K., BROWN, G. C., WEBB, P. C., WHEILDON, J. & ROLLIN, K. E., heat flow, heat production and thermo-tectonic setting in mainland UK, 35–42, figs
LEGGETT, J. K., the Southern Uplands as an accretionary prism: the importance of analogues in reconstructing palaeogeography, 737–52, figs
Leinster Granite, Ireland, geochemistry of Blackstairs Unit of, 971, map 972; 973–84
LEVERIDGE, B. E., *see* FLOYD, P. A.
LICHTNER, P. C., *see* HELGESON, H. C.
lignites, Wilcox, E Texas, coarsening-upward sequences above 463–9
lineaments, and structural controls of vulcanism, Ethiopia, 222–3
LINTERN, B. C., *see* STONE, P.
LISLE, R. J., *see* FREEMAN, B.
Lithosphere, thermal state of, revealed by alkaline magmatism, NW Scotland, 611–17
lithospheric boundary layer, 270–1
LLOYD, G. E., fabric analysis using SEM electron channelling [*abs*], 678

Loch Ailsh alkaline complex, NW Scotland, and Moine Thrust, 614–7
Loch Borrolan alkaline complex, NW Scotland, and Moine thrust, 611–7
LONG, D., *see* CAMERON, T. D. J.
Longford-Down Inlier, Ireland, and S Uplands, Scotland, as Ordovician back-arc basin, 773–86
LOWE, L. E., *see* BUSTIN, R. M.
Lower Rhyolitic Tuff Formation, Ordovician, N Wales, submarine eruption and emplacement of, 523–5
Loxommatoidea, tetrapods, 498
Lumshiwal Formation, of Cretaceous, Salt Range, Pakistan, 111
Lune Estuary, UK, capacity changes in, 188
LYELL MEDAL presented to H. B. WHITTINGTON, 361–2; L. FUND presented to A. H. F. ROBERTSON, 364

MCBRIDE, S. L., CLARK, A. H., FARRAR, E. & ARCHIBALD, D. A., delimination of a cryptic Eocene tectono-thermal domain in the Eastern Cordillera of the Bolivian Andes through K-Ar dating and ^{40}Ar-^{39}Ar step-heating, 243–55, figs
MCCAVE, I. N., fine sediment sources and sink around the East Anglian Coast (UK), 149–52, figs
MCCOURT, W. J., *see* ASPDEN, J. A.
MCCURRY, J. A., *see* BARNES, R. P.
MCGREGOR, V. R., *see* FRIEND, C. R. L.
MACKENZIE, A. S., *see* ENGLAND, W. A.
MCKENZIE, D. P., the compaction of igneous and sedimentary rocks, 299–307, figs
MCKERROW, W. S., the Southern Uplands Controversy [conference report], 735–6
MCMANUS, J., *see* REID, G.
magma segregation, mantle deformation, bearing of restites in basalt on, 275–80
magmas, granitic, emplacement of, 281–97
magmatism, alkaline, NW Scotland, relationship to Moine Thrust Zone, 611–17
——, subduction related, W Colombia, geometrical control of, 893–905
magnetic anomalies, over Tertiary intrusives, Mull, Scotland, 17–28
magnetic mapping, Butterton Dyke as example of geophysical surveying, 29–33
magnetic overprinting, geological evidence of, 955–6
magneto stratigraphy, of Tertiary centre, Mull, Scotland, 985–96
MAGUIRE, P. K. H., CHARM II—a deep reflection profile within the central English microcraton, 611–70, figs
MAINPRICE, D. H. & BOUCHEZ, J.-L., characterization of slip systems in naturally deformed quartz by microstructural, X-ray texture goniometry and transmission electron microscopy studies: application to simple fabric types as a function of temperature [*abs*], 677
——, —— & DERVIN, P., application of neutron texture goniometry to naturally and experimentally deformed rocks [*abs*], 678
Maio, Cape Verde archipelago, alkaline lamprophyre sheet intrusion complex on, 227, map 228; 229–41
Makran, Iranian, tectonic uplift rates, Holocene, 555–6
Makran prism, Baluchistan, reviewed, 740
MANCKTELOW, N. & OLGAARD, D. L., standard and streaked quartz textures from the Simplon Fault Zone; optical, ODF and TEM comparisons [*abs*], 677
MANN, D. M., *see* ENGLAND, W. A.
mantle, chemical, convective layering, 259–61
——, and crust, two-phase flow in, 257–8
——, upper, mixing, melting, homogeneity, 266–8
——, ——, steady-state, 264–6
mantled gneiss antiforms, Rinkian belt, W Greenland, 723–34
MANTON, W. I., *see* STERN, R. J.
mapping, regional, by British Geological Survey, 209–11
mapping techniques, marine Quaternary, UK, 43–4
marginal marine environments, SW Britain, biogenic indicators, suspended sediment transport, 127–33
Mariola Calcirudite Formation, Neogene, SE Spain, 925
Mârmorilik Formation, of Karrat Group, E Greenland, 725–8
Martin Lake Mine, E Texas, tidal lignites of, 463–9
Masia del Garoferro Formation, Neogene, SE Spain, 924
Massachusetts, C, ferric iron in calcic hornblendes of amphibolite facies, 522
Massif Central, France, compaction stages in, Stephanian, Permian peat, 489–93
MAVIS, seismic refraction profiles, Midland Valley, Scotland, 866–8
MAX, M. D., see AFTALION, M.
MAYNARD, J. B., *see* HALLAM, A.
Mayo, Ireland, geology of metamorphic inlier of, 401–2
——, ——, U-Pb zircon geochronology of Annagh gneisses, Termon Granite, 401–6
mélange, breccia, mud-matrix, N Chile, 608–9
——, Chañaral, U Palaeozoic, Chile, origin of, 599–610
melt segregation, mechanisms, low melt-fraction, 284–8
mequinenza Coal Basin, NE Spain, palaeoenvironment, sedimentary framework, 456–9
Mersey Estuary, UK, capacity changes in, 189–193
metagabbros, in W Grenville Province, 522
metamorphic disequilibrium, breakdown of muscovite + quartz, 521
metamorphic evolution, of Norwegian garnet peridotites, 521
metamorphic fluid, channelized flow of, 311
metamorphic fluids, aqueous, chemical composition, 520
metamorphic processes, porosity, permeability changes during, 310
metamorphic sector-zoning, in low-fO_2 graphite-buffered environment, 520
metamorphic studies, research in progress, 519–22
metamorphic zones, low grade, correlation with illite crystallinity indices, 521
metamorphism, of blueschists, Anglesey, age of, 843–52
——, conditions constrained by kyanite genesis, Dalradian, Ireland, 679–80
——, fluid motion during, 309–12
——, high-pressure, Eoalpine, W Alps, 521
——, ——, W Alps, tectonic implications of, 653–9
——, ——, W Norway, 521
——, of Precambrian iron formations, Finland, 521–2
——, prograde P–T path, at high pressure W Alps, 655–7
——, retrograde P–T path, at high pressure W Alps 657–9
——, two-phase flow during, 311–12
microconglomerates, in Irish Silurian, 765–9
microcraton, of C England, CHARM II reflection profile in, 661–70
microfauna, and microflora, used as indicators of sediment transport, 127–8
Microsauria, tetrapods, 499
Middle America Trench, accretionary prism of, reviewed, 738–9
Midland Valley, Scotland, upper crustal structure, from seismic refraction, 865–70
MILNER, A. R., the Westphalian tetrapod fauna; some aspects of its geography and ecology, 495–506, figs
minerals, industrial and ore, genesis of, exploration for, 197–8
Mississippi Delta, factors influencing peat accumulation in, 423–34
Moine Thrust belt, and geometric models of thrusting, 619–34
Moine Thrust Zone, syn-orogenic alkaline magmatism related to, 611–17
MOIST, seismic profile and structure W Orkney Basin, 872–3
Money Head Formation, of S Uplands, sand-bodies in, 796
Montsech, and Cotiella thrusts, Pyrenees, age of movement, 907–14
Montsech emergent imbricate fan, Pyrenees, 909–10

Moray Firth, Eastern Scotland, sediment exchanges along coastal margin of, 179–85
MORRIS, J. H., the Northern Belt of the Longford-Down Inlier, Ireland and Southern Uplands, Scotland: an Ordovician back-arc basin, 773–86, figs
Muck, Isle of, Scotland, dolostones of Kilmaluag Formation, Jurassic, analysed, 688–95
Mull Tertiary igenous centre, Scotland, mechanism of emplacement, 26–8
——, ——, magneto-stratigraphy of, 985–96
——, ——, gravity and magnetic anomalies over, 17–18, map 19; 20–8
MURCHISON MEDAL presented to K. G. COX, 360–1; M. FUND presented to C. M. GRAHAM, 364
MURPHY, F. C., *see* HUTTON, D. H. W.
MURRAY, J. W., biogenic indicators of suspended sediment transport in marginal marine environments: quantitative examples from SW Britian, 127–33, figs
MUSSETT, A. E., *see* DAGLEY, P.
mylonites, quartz, relationship of strain symmetry and crystallographic preferred orientations in, 677–8

Nankai Trough, reviewed, 739–40
Nautilida, success of survival, 13–14
Nautiloid cephalopods, strange success of, 1–15
Navan–Silvermines Fault, 765–8
Nectridea, tetrapods, 499
Neogene evolution, of SE Spain, sedimentary evidence of, 915–32
New Zealand, deformational model of, invoking recurved arcs, 644–7
——, Orocline, age, origin, and Alpine Fault, 641–52
Newfoundland, as source for granite clasts in S Scottish conglomerates, 858–61
NICHOLSON, R. & EJIOFOR, I. B., the three-dimensional morphology of arrays of echelon and sigmoidal, mineral-filled fractures: data from north Cornwall, 79–83, figs
NICOLETTI, M., *see* BERHE, S. M.
NIELSEN, H., *see* DILL, H.
North Sea, and Irish Sea, sediment input to, 121–5
——, organic material in, 163–4
——, Pleistocene, late Middle and Upper of, 51–5
——, ——, Lower and early Middle of, 46–51
——, suspended matter, dispersal, concentration, deposition, water circulation, 161, maps 162–3, 166–9; 170–8
North Sea Basin, UK sector, history of Quaternary sedimentation in, 43–58
Northern, Central Belts, of S Uplands, Scotland, sand bodies in, significance, 787–805
Northern Belt, of Longford-Down Inlier and S Uplands, as back-arc basin, 773–86
Northern and Central Belts, S Uplands, Scotland, provenance of granite boulders in conglomerates of, 853–63
Norway, Jotun Nappe, corona development in orthogneisses, 522
——, metamorphic evolution of garnet peridotites, high-pressure metamorphism, 521
Nottinghamshire Coalfield, England, palaeochannels in High Hazles Coal of, 471–88
Nubian Shield, N, geochronology of Ras Gharib segment of, 577–86
Nûkavsak Formation, of Karrat Group, E Greenland, 725–8
NUTMAN, A. P., *see* FRIEND, C. R. L.
NW Europe, sediment exchanges across coastal margins of, 121–6

O'CONNOR, B. A., short and long term changes in estuary capacity, 187–95, figs
O'NIONS, R. K., relationships between chemical and convective layering in the Earth [William Smith Lecture], 259–74, figs
ocean islands, isotopic observations on mantle of, 268–70
oceanography, of Seine estuary, 137–40
Ojos del Salado volcanic region, Chile, geology, geochemistry of, 85–96
OLGAARD, D. L., *see* MANCKTELOW, N.
Oligocene, Spain, NE, coal deposition in carbonate-rich lacustrine systems of, 451–61
Oman ophiolite, improved discrimination of rock units in, using Landsat Mapper imagery, 587, map 588, colour plates 590–2; 593–7
ophiolite, Oman, rock units discriminated using Landsat imagery, 587–97
Orcadian intermontane basin, W Orkney section, structure of, 871, maps 872–3; 874–84
Ordovician, back-arc basin of Northern Belt of Longford-Down Inlier and S Uplands, 773–86
——, composite lavas of, English Lake District, 945, map 946; 947–60
——, end-, deformation, in S Uplands, 783–4
——, late, shallow marine environments of Scrach Formation, Mid-Wales, 393–400
Ordovician arc-massif, Lakes–Leinster, 780–2
Orkney Basin, W, N Scotland, structure of, 871–84
orocline, New Zealand, age, origin and Alpine Fault, 641–52
orthogneisses, corona development in, Jotun Nappe, Norway, 522
orthopyriboles, reactions involving, Orijarvi, SW Finland, 522
orthopyroxene aggregates, in picrite basalts, 277–9
ORTON, G., On the submarine eruption and emplacement of the Lower Rhyolitic Tuff Formation (Ordovician), North Wales [discussion of: HOWELLS *et al*], 523–5, figs
overbank flood deposits, Nottinghamshire Coalfield, 482–3
oxbow lakes, swamp pools, tetrapod fossils in, U Carboniferous, 497

Pacific, SE, goechemical evolution of Juan Fernandez Islands of, 933–44
Pagoda Limestone, and other 'Orthoceras' limestones, 8–9
Pakistan, iron ores of Chichali formation (Oxfordian to Valanginian), 107–14
PALACZ, S., *see* RENNER, R.
Palaeocene, and Eocene, lignites in, E Texas, 463–9
——, reconstruction of NE Atlantic borderlands in, 562–3
palaeochannels, in High Hazles Coal, Nottinghamshire, England, 471–88
——, verifying position of, Nottinghamshire Coalfield, 483–4
palaeogeography, of Southern Uplands, Scotland, use of analogues in reconstructing, 737–52
palaeomagnetic data, on tectonic rotations, New Zealand, 643–4
Pan-African shield rocks, Egypt, geochronology of, 577–86
PARSONS, I., *see* BROWN, P. E.
——, *see* HALLIDAY, A. N.
peat, compaction stages, Stephanian, Permian, Massif Central, France, 489–93
——, Humid-temperate, Fraser Delta, British Columbia, sulphur, ash, minor elements in, 435–50
peat accumulation, factors influencing, Mississippi Delta, 423, map 424; 425–34
pebble shape, and tectonic strain, 635–9
Penmynydd schists, of Anglesey, $^{40}Ar/^{39}Ar$ mineral dates and age of blueschist metamorphism, 843–52
peridotites, and troctolites, of Rhum, Scotland, 963–5
petrography, of basalts, Juan Fernandez Islands, 935–7
——, of composite lavas, Lake District, 948–53
——, of sandstone, Devonian, Cornwall, 532–5
petroleum fluids, properties of, 329–32
——, subsurface, movement, entrapment of, 327–47
petroleum movement, forces controlling, 332–5

petrology, of peralkaline Kap Washington volcanics, N Greenland, 707–15
——, of peridotites, troctolites, Rhum, Scotland, 963–5
phase geometry, of melt and matrix, 300–2
piggy-back thrusting, 620–4
Pinstane Hill, S Scotland, granite clasts in conglomerates dated, 857–8
plate tectonic evolution, of N Atlantic, and margin E Greenland, 561–8
Pleistocene, late Middle and Upper, southern, central and northern North sea, 51–5
——, Lower and early Middle, southern, central and northern North Sea, 46–51
pluton formation, at high melt-fraction, 288–90
porosity, and permeability, in lower continental crust, 309–12
Port Logan Formation, S Uplands, sand-bodies in, 800
Portscatho Formation, of Gramscatho Group, Devonian, S Cornwall, 531–42
Precambrian, Arabian-Nubian Shield, Feiran basement rocks of, Sinai, 569–75
——, iron formations, Finland, metamorphism of, 521–2
PRESIDENT'S AWARD presented to R. W. H. BUTLER, 364–5
PRESIDENT'S AWARD presented to A. S. MACKENZIE, 365
prodelta/lacustrine mudstones, Nottinghamshire Coalfield, 483
provenance, chemical discrimination of, sandstones, Devonian, Cornwall, 538–40
——, of granite boulders in conglomerates, S Uplands, Scotland, 853, map 854; 855–63
Pyrenees, S and C, Spain, constraints on thrust movement in, 907–14
Qeqertarssauq Formation, of Karrat Group, E Greenland, 725
Quaternary, base of, 46
——, methods of dating and correlation in, 44–6
Quaternary sedimentation, history of, UK North Sea Basin, 43, maps 44; 45–58
QUIGLEY, T. M., *see* ENGLAND, W. A.

Rb-Sr, isochron ages, Ras Gharib segment, N Nubian Shield, 577–86
Rb-Sr dating, of granite boulders, S Uplands, Scotland, 853–63
Ras Gharib segment, N Nubian Shield, geochronology of, 577–86
Red Sea, Western Margin, 411–13
Red Sea rifting, role of fracture zones during, using LANDSAT imagery, transitional region, 407, maps 408–9; 410–20
REEDMAN, A. J., *see* HOWELLS, M. F.
regression, glacio-eustatic, and shallow marine Ordovician, Mid-Wales, 393–400
REID, G. & MCMANUS, J., sediment exchanges along the coastal margin of the Moray Firth, Eastern Scotland, 179–85, figs
RENNER, R. & PALACZ, Z., basaltic replenishment of the Rhum magma chamber: evidence from unit 14, 961–70, figs
restite fragments, in Karoo picrite basalts, and mantle segregation, deformation, 275–80
REX, D. G., *see* BAKER, P. E.
Rhinns of Galloway, S Scotland, L Palaeozoic geology of, 809–11
Rhum, Scotland, magma chamber, basaltic replenishment of, 961–70
rhyolites, of Kap Washington Volcanics, Greenland, 712
Ribble Estuary, UK, capacity changes in, 188
RICE, C. M., genesis of, and exploration for, industrial and ore minerals [conference report], 197–8
rifting, Red Sea, role of fracture zones in, using LANDSAT, Shuttle, imagery, 407–20
Rinkian belt, W Greenland, mantled gneiss antiforms in, origins questioned, 723–34
ROBINSON, D., two-phase flow in crust and mantle [introduction ot thematic set], 257–8
Robinson Crusoe, and Alexander Selkirk Islands, Juan Fernandez Group, geology of, 944–6
rock, molten, physical properties of, 282–4
ROLLIN, K. E., *see* LEE, M. K.
ROOBOL, M. J., on differences in radiocarbon ages reported from St Kitts, West Indies [discussion of: BAKER], 205–6
ROTHERY, D. A., improved discrimination of rock units using Landsat Thematic Mapper imagery of the Oman ophiolite, 587–97, figs
RUBIE, D. C. & BREARLEY, A. J., an experimental investigation of disequilibrium during the high temperature breakdown of muscovite + quartz [*abs*], 521

S Uplands, N and C Belts, palaeogeographic evolution, 800–3
S-type granites, Leinster, Ireland, 979–83
SAEZ, A., *see* CABRERA, LL.
Salt Range, Pakistan, iron ores in Chichali formation of, 107–14
Samana Suk Formation, of Jurassic, Salt Range, Pakistan, 107–9
sand, and gravel, rapid deposition in bar-front accretion, 543–51
SCHMID, S. M., crystallographic fabrics and deformation histories—introductory remarks [*abs*], 676
——, *see* LAW, R. D.
SCHUMACHER, J. C., Intergrowths and reactions involving orthopyriboles from Orijarvi, SW Finland [*abs*], 522
SCHUMACHER, R., ferric iron in calcic hornblendes from the lower to upper amphibolite facies, Central Massachusetts, USA [*abs*], 522
SCHWEDHELM, E., *see* IRION, G.
Scotland, Aberdeen Granite of, isotopic and structural age, 717–21
——, Caledonides, shoshonites in, and tectonic history of, 699–706
——, and Ireland, S Uplands, Longford-Down Inlier, as Ordovician back-arc basin, 773–86
——, ——, Silurian successor basin to end-Ordovician closed Iapetus, 765–72
——, Midland Valley, upper crustal structure, from seismic refraction, 865–70
——, Moray Firth, sediment exchanges along coastal margin of, 179–85
——, Mull igneous centre, magnetostratigraphy of, 985–96
——, N, regional geology of, 871–2
——, ——, structure of W Orkney Basin of, 871–84
——, NW, Mull Tertiary intrusive complex, gravity, magnetic anomalies over, 17–28
——, ——, thermal state of Lithosphere in, related to alkaline magmatism, 611–17
——, S Uplands, provenance of granite boulders in conglomerates of, 853–63
——, Southern Uplands of, accretionary prism in, 737–52
——, ——, back-arc, foreland basin thrust duplex model for, 753–64
——, ——, controversy on origins reviewed, 735–6
SCOTT, A. C., coal and coal-bearing strata: problems and perspectives [introduction to thematic set], 421–2
scour surfaces, in Eocene sands, Texas, 464
Scrach Formation, Mid-Wales, shallow marine environments and glacio-eustatic regression, 393–400
sea level, effect of change in, 115–7
sediment, exchanges across coastal margins, NW Europe, 121–6
——, fine, sources and sinks, East Anglian Coast (UK), 149–52
sediment exchanges, coastal margin, Moray Firth, Eastern Scotland, 179–85
——, Seine estuary, adjacent shelf, 135, maps 136–7; 138–48
sedimentary, and igneous, rocks, compaction of, 299–307
sedimentation, and tectonics, Welsh Basin, 199–200
sediments, fine-grained, provenance of, SE of Helgoland North Sea, 153–60
Seine estuary, sediment exchanges with adjacent shelf, 135–48

seismic refraction, upper crustal structure determined from, Midland Valley, Scotland, 865–70
seismic reflection profile, CHARM II, C England microcraton, 661–70
SELDEN, P. A., *see* BARTRAM, K. M.
sequential balancing, example from Irish Variscides, 885–91
Severn Estuary, sediment transport into, from Celtic sea 131–2
shallow water areas, in space and time, 115–20
shear, true, determination of senses of, by deflection of passive markers, 73–7
shear zones, passive markers in, used to determine true shear senses, 73–7
——, in S Uplands, Scotland, 829–32
shoshonites, in Scottish Caledonides, tectonic implications, 699–706
Shuttle Imaging Radar (SIR-A), method, 410–11
Silurian, of S Uplands and Ireland, as successor basin to Iapetus, 765–72
Simplon Fault Zone, quartz textures from, 677
Sinai, Feiran basement rocks, Precambrian, and evolution Arabian–Nubian shield, 569–75
Skagerrak, Kattegat, Norweigan Channel, deposition in, 172–5
SKELHORN, R. R., *see* DAGLEY, P.
SMALLWOOD, S. D., *see* WOODCOCK, N. H.
Sm-Nd isotopes, in Jurassic dolostones, W Scotland, 689 source rock of Leinster Granite, Ireland, 978–9
Southern Belt, S Uplands, Scotland, Ireland, tectonic development of accretionary prism of, 827–38
Southern Uplands, C Belt in Galloway, Down, along-strike variations in, 807–16
——, and Longford/Down, Central and Southern Belts, palaeogeography, 782–3
——, S Belt, tectonic development of accretionary prism of, 827–38
——, Scotland, accretionary prism, importance of analogues in reconstructing, 737–52
——, ——, back-arc, foreland basin thrust duplex model for, 753–64
——, ——, sand bodies in N and C Belts, significance of, 787–805
——, ——, controversy on origins of, 735–6
——, ——, and Ireland, Silurian successor basin of end-Ordovician closed Iapetus, 765–72
——, ——, provenance of granite boulders in conglomerates, N and C Belts, 853–63
——, Southern Belt, structural framework, 827
Southern Uplands Controversy [thematic set] and:
along-strike variation, stratigraphy, structure, S Uplands Central Belt, Galloway–Down, 807–16
introduction: Southern Uplands Controversy, 735–6
Northern Belt, of Longford-Down Inlier, as Ordovician back-arc basin, 773–86
onset, timing of Caledonian sinistral shear, Down, 817–25
sequential back-arc, foreland basin duplex thrust model for S Uplands, Scotland, 753–64
Silurian, of S Uplands, Scotland, Ireland, as successor basin to end-Ordovician closed Iapetus, 765–72
Southern Uplands, as accretionary prism, analogues used in reconstructing palaeogeography, 737–52
style, scale, significance of sand bodies in SW Southern Uplands, 787–805
tectonic development of S Belt of S Uplands accretionary complex, 827–38
SOWERBUTTS, W. T. C., magnetic mapping of the Butterton Dyke: an example of detailed geophysical surveying, 29–33, figs
Spain, NE, coal deposition in carbonate-rich lacustrine systems, 451, maps 452–3; 454–61
——, S and C Pyrenees of, constraints on age of movement of Montsech, Cotiella Thrusts of, 907, map 908; 909–14
——, SE, sedimentary evidence of Neogene evolution of, 915–32
spectral absorption, by rocks, discussed, 588–93
Stephanian, and Permian peat, compaction of, Massif Central, France, 489–93
STERN, R. J. & MANTON, W. I., age of Feiran basement rocks, Sinai: implications for late Precambrian crustal evolution in the northern Arabian–Nubian Shield, 569–75, figs
STILLMAN, C. J., *see* FURNES, H.
STOKER, M. S., *see* CAMERON, T. D. J.
STONE, P., FLOYD, J. D., BARNES, R. P. & LINTERN, B. C., a sequential back-arc and foreland basin thrust duplex model for the Southern Uplands of Scotland, 753–64, figs
strain, in cobbles, Crackington Formation, 81
stratigraphy, chemical, in Portscatho Formation, S Cornwall, 537–8
strontium isotopes, in baryte, Bavarian Basement, 102–3
——, Ojos del Salado volcanics, Chilean Andes, 94–5
——, whole-rock, Rhum Eastern Layered Series, Scotland, 966–69
subduction-related magmatism, in W Colombia, geometrical controls on, 893–905
sulphur, origin of, in peat, Fraser Delta, 445–9
——, and other elements, in peat, Fraser Delta, British Columbia, 435–50
sulphur isotopes, baryte, Bavaria, 100–2
suspect terranes, in S Uplands, 744–5
suspended matter, dispersal, concentration, deposition of, North Sea, 161–78
suspended sediment transport, marginal marine environments, SW Britain, biogenic indicators of, 127–33
sutures, Himalayas, Kohistan, 379–83
Svartenhuk Halvø, E Greenland, Karrat Group of, mantled gneisses of, 725–9
SWEETMAN, T. M., the geochemistry of the Blackstairs Unit of the Leinster Granite, Ireland, 971–84, figs

Tana, and Turkana Rifts, Ethiopia, and basalts, 223
TANTRIGODA, D. A., *see* BOTT, M. H. P.
taphonomy, of arthropod cuticles in coal, 515–6
Tasiusarsuaq terrane, W Greenland, 373–4
tectonic strain, relationship to pebble shape fabrics in deformed conglomerates, 635–9
TEFERRA, M., *see* BERHE, S. M.
Temnospondyli, tetrapoda, 499
terrains, as sources of debris for S Uplands Northern Belt, 777–8
terrane accretion, W Colombia, 799–900, map 901
terranes, southern W Greenland, late Archaean, 369–76
Tertiary intrusion, Butterton Dyke, Staffordshire, UK, magnetic survey, 29–33
Tertiary intrusive complex, Mull, gravity, magnetic anomalies over, 17–38
——, magneto-stratigraphy of, 985–96
tetrapods, U. Carboniferous, localities, assemblages, 505–6
——, Westphalian, preservational environments of, ecology, 496–506
Texas, E, coarsening-upward sequences, of tidal origin, 463, maps 464–5; 466–9
textures, quartz, in Simplon Fault Zone, 677
Th-U-Pb systematics for crust, mantle, 262–4
Thematic Mapper (TM) imagery, Landsat, discussed, 593–6
thermodynamic relations, and mineral reactions at high *P–T*, 314–6
THOMPSON, A. B., some aspects of fluid motion during metamorphism, 309–12, fig.
thrust duplex model, for Southern Uplands, back-arc, foreland basin of, 753–64
thrust sequences, 619–34
thrusts, Pyrenees, Spain, age of movement, 907–14
transpression, sinistral, Caledonian, Down, N Ireland, 817–25
Tre Brødre terrane, W Greenland, 373

TREMLETT, W. E., on seismicity and tectonics in Wales [discussion of: BLENKINSOP, LONG, KUSZNIR & SMITH], 839–40, fig
Triassic, post-, shallow sea areas, 117–9
troctolites, and peridotites, of Rhum, Scotland, 963–5
Trois Seigneurs Massif, Pyrenees, magma segregation and granite petrogenesis in, 290–5
true shear senses, determination of, by deflection of passive markers, 73–7
TUNBRIDGE, I. P., on the correlation of the Rhenohercynian Variscides [discussion of: HOLDER & LEVERIDGE], 353–4
turbiditic sandstones, of Gramscatho basin, S Cornwall, tectonic environment deduced from, 531–42
two-phase flow in crust and mantle [thematic set] and: compaction of igneous and sedimentary rocks, 299–307
  fluid flow and mineral reactions at high temperature, pressure, 313–26
  introduction, two-phase flow in crust, mantle, 257–8
  movement, entrapment, of petroleum fluids in subsurface, 327–47
  postulated restite fragments in Karoo picrite basalts, bearing on magma segregation, mantle deformation, 275–80
  relationships, chemical, convective layering in Earth, 259–74
  segregation, emplacement, granite magmas, 281–97
  some aspects of fluid motion during metamorphism, 309–12

U-Pb zircon geochronology, Precambrian Annagh gneisses, Termon Granite, Mayo, Ireland, 401–6
UK, East Anglian Coast, fine sediment sources and sinks around, 149–52
——, mainland, heat flow and thermo-tectonic setting of, 35–42
——, North sea Basin, history of quaternary sedimentation in, 43–58
unconformity-related baryte, Central Europe, geochemical constraints on formation of, 97–105

VAN DEN EEKHOUT, B., *see* GROCOTT, J.
Variscides, Irish, application of sequential balancing technique to, 885–91
——, Rhenohercynian, correlation in, 353–4
VISSERS, R. L. M., *see* GROCOTT, J.
VITA-FINZI, C., ^{14}C deformation chronologies in coastal Iran, Greece and Jordan, 553–60, figs
volcanicity, peralkaline, Kap Washington Volcanics, Greenland, 707–15

Wales, Mid, late Ordovician, shallow marine environments of Scrach Formation, 393–400
——, N, Anglesey, age of blueschist metamorphism, 843, map 844; 845–52
WALMSLEY, P. J., the British Geological Survey contribution to the exploration of the continental shelf, 202–12, figs
WEBB, P. C., *see* LEE, M. K.
Welsh Basin, sedimentation and tectonics in, 199–200
Westphalian, insects of, 507–11
——, tetropod geography and ecology, 495–506
Westphalian B, High Hazles Coal of, palaeochannels in, England, 471–88
WHEELER, J., the determination of true shear senses from the deflection of passive markers in shear zones, 73–7, figs
WHEILDON, J., *see* LEE, M. K.
WICKHAM, S. M., the segregation and emplacement of granitic magmas, 281–97, figs
Wigtown Peninsula, S Scotland, L Palaeozoic geology of, 811–12
Wilcox Group, E Texas, lignites in, 463–9
Wilcox lignites, E Texas, coarsening-upward sequences above, 463–9
WILLIAM SMITH, MEDAL presented to P. R. VAIL, 362
WILLIAMS, G. D., *see* FARRELL, S. G.
WOLLASTON MEDAL presented to J. C. RAMSAY, 359–60; W. FUND presented to R. A. FORTEY, 364
WOODCOCK, N. H. & SMALLWOOD, S. D., late Ordovician shallow marine environments due to glacio-eustatic regression: Scrach Formation, Mid-Wales, 393–400, figs
——, *see* FITCHES, W. R.
WUNDERLICH, F., *see* IRION, G.
WYATT, A. R., shallow water areas in space and time, 115–20, figs

Yani massif, Bolivia, K-Ar ages, 247–8
YARDLEY, B. W. D., on geochemistry of Dalradian pelites from Connemara, Ireland: new constraints on kyanite genesis and conditions of metamorphism [discussion of: FERGUSON & AL-AMEEN], 679–80
—— & BOTTRELL, S.H., fluid immiscibility and flow: implications for reaction progress [*abs*], 520
——, *see* BOTTRELL, S. H.
Yorkshire, arthropod cuticles in coal of, 513–7

Zagros, Iran, compressive margins and uplift rates, Holocene 553–5
Zongo massif, Bolivia, petrography of, 244–5
ZHOU, J.-X., an occurrence of shoshonites near Kilmelford in the Scottish Caledonides and its tectonic implications, 699–706, figs